

## **TITLE**

### **METHOD AND SYSTEM OF DATA MANAGEMENT**

#### **BACKGROUND OF THE INVENTION**

##### **Field of the Invention**

5           The present invention relates to data management technology, and in particular to a system of managing a plurality of correlated data records.

##### **Description of the Related Art**

          A data application system can be divided into  
10 data application programs and applied data. Compared to the applied data, the application programs may be time-consuming but less complicated than the applied data, which, prepared by data owners, is generally distributed among different fields, such as operators  
15 or customers. Thus, regarding a data application system establishment in an enterprise, finished application programs frequently must await data preparation for a long time.

          Three main issues affect data preparation of a  
20 data application system. The first is data correction, the second data integrity, and the third data validity, verification by which the applied data must undergo prior to application into the data application programs. Data correction ensures that  
25 the applied data that which the data application programs require. Data integrity fully checks data correlations, and data validity determines that applied data is still in its effective period.

For example, if a data application program requires an order list as its applied data, the order list is the correct applied data. A customer list and a product list may both have been combined to produce  
5 the order list, so both must be checked before applying the order list to the data application program. Finally, if the orders change once a month, then the effective period of the order list is one month.

10 The difficulties described become more serious in a large enterprise, in which applied data of a data application system is stored in database, utilizing management tools provided thereby. However, conventional management tools provided by the  
15 databases focus solely on the applied data, not the requirements of the data application system, frequently causing data inaccuracy.

United States Patent 6,345,270 discloses a data management system allowing various forms of data to be  
20 centrally managed. However, the methods and systems disclosed are dictated by the aspects of the data, rather than correlations required by the data application system. Thus, the invention is not suitable for application to a data application system,  
25 especially for large enterprises.

#### SUMMARY OF THE INVENTION

Accordingly, an object of the invention is to provide a system of data management verifying applied

data for a data application system considering the requirements thereof.

To achieve the foregoing object, the invention provides a system of data management to manage  
5 correlated data records. In one embodiment, the inventive system comprises a data verification module, a data notation module, and a data management module. The data verification module verifies the data records according to the data correlations and produces  
10 verification results. Each verification result corresponds to a data record. The data notation module notes the verification results in the corresponding data records. The data management module manages the data records according to the  
15 verification results. The system may further comprise data application modules for application to the data records.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

The present invention can be more fully  
20 understood by reading the subsequent detailed description and examples with references made to the accompanying drawings, wherein:

Fig. 1 is a diagram of a system of data management for correlated data records according to  
25 the present invention.

Fig. 2 is a flowchart of the method of data management for correlated data records according to the present invention.

Fig. 3 is a diagram of data correlations.

Fig. 4 is an example of data verification results.

Fig. 5 is a diagram of the inventive database.

#### **DETAILED DESCRIPTION OF THE INVENTION**

5       As summarized above, the present invention provides a system overcoming conventional data management problems. The inventive system includes a data verification module, a data notation module, and a data management module. The system further  
10 comprises several data application modules.

The data verification module verifies data records according to data correlations and produces verification results. Each verification result corresponds to a data record. The verification  
15 results include at least one of valid, invalid, and expired. A data record is valid if the data record can be applied to the data application modules, and invalid if the data record cannot be applied to the data application modules, such as locking of some data  
20 fields. A data record is considered expired if the data record is overdue.

The data notation module notes the produced verification results in the corresponding data records, as data preparation conditions. The data  
25 management module manages the data records according to the verification results.

The data correlations are established according to correlations or processing order between the data records as applied to the data application modules.

The data correlations may be sequential, parallel, or both. By way of explanation, three data records data, record A, data record B, and data record C are to be applied to a data application module. If data record  
5 B is made available only after data record A is available, then the data correlation between data record A and B is sequential. If data record A and data record B must be prepared before application to the data application module, but there are no  
10 correlations between data record A and data record B, then the data correlation between data record A and B is considered parallel. If data record C will be valid only after data records A and B are valid for application to the data application module, and data  
15 records B and C have parallel data correlation, then the data correlation between data record A, B and C is sequential and parallel. The data correlation can be implemented as a tree structure or rule-based conditional statements.

20 The data records are stored in databases. Each data record has a data record owner, responsible for data record preparation. Thus, the data management module sends the verification results to the data record owners for data management. The data owners  
25 can modify or maintain their own data records according to the received verification results. The data management module may directly delete the data records from the database.

Moreover, the invention provides a method of data  
30 management for a plurality of correlated data records.

First, the data records are verified according to the data correlations, producing verification results. Here, each verification result corresponds to a data record.

5       Next, the verification results are noted in the corresponding data records. Finally, the data records are managed according to the verification results, after which they are applied to data application modules.

10       Here, the data correlations are similar as mentioned. The data records are stored in database. Each data record has a data record owner, responsible for preparation. Thus, the data management module sends the verification results to the data record  
15 owners or deletes the data records directly to accomplish data management.

In addition, the invention provides a database comprising a data storage module and a data operation module. The data storage module stores correlated  
20 data records. The data operation module operates the data records.

The data management module includes a data verification module, a data notation module, and a data management module. The data verification module  
25 verifies the data records according to the data correlations and produces verification results, each of which corresponds to a data record. The data notation module notes the verification results in the corresponding data records.

The data management module manages the data records according to the verification results. The system further comprises data application modules for application to the data records.

5        Again, the data correlations are similar as mentioned. Each data record has a data record owner, responsible for the data record preparation. Thus, the data management module sends the verification results to the data record owners or deletes the data  
10 records to accomplish data management.

Fig. 1 is a diagram of the system of data management to manage correlated data records. The inventive system includes a data verification module 10, a data notation module 12, and a data management  
15 module 14. The data verification module 10 verifies the data records 16 according to correlations and produces verification results. Each verification result corresponds to a data record. The data notation module 12 notes the verification results in  
20 the corresponding data records. The data management module 14 manages the data records according to the verification results. The system further comprises data application modules 18 for application to the data records.

25        The data records 16 are stored in databases 22. Each data record has a data record owner 24, responsible for the data preparation. The data management module 14 sends the verification results to the data record owners 24 for data management.  
30 Otherwise, the data management module 14 deletes the

data records from the databases 22 directly for data management. Databases 22 can be designed as several databases according to different functions or a single integrated database.

5       The data correlations are established according to correlations between the data records applied to the data application modules 18. The data correlations may be sequential, parallel, or both.

Fig. 3 is a diagram of data correlations. In one  
10       embodiment, the tree structure is utilized to represent the data correlations. Node 30 depends on node 40 and 50. The data correlation between nodes 40, 50 and 30 is sequential. If there are no data correlations between node 40 and node 50, then the  
15       data correlation therebetween is parallel.

Nodes with oblique lines, such as nodes 30, 40, imply the actual data records. The blank nodes, such as 50 and 400, indicate the nodes as check points for combining the actual data records. Similarly, node 50  
20       is available only if nodes 500 and 502 are available. The data correlation between node 50 and node 500, 502 is sequential. Node 50 does not imply the actual data record, but a check point for data availability. Node 502 is available only if nodes 504, 506 and 508 are  
25       available. Thus, the data correlation between node 502 and node 504, 506, and 508 is sequential. Nodes 40, 400, 402, 404, 406, 408, and 410 are similar as mentioned. All the applied data records are obtained from databases 60. Databases 60 can be designed into



several different databases according their functions or a single integrated database.

As an example, if an enterprise desires to establish a data application system, referring to Fig. 1, the data owners 24 prepare data records in databases 22. Data verification module 10 retrieves and verifies data records 16 from the databases 22 according to established data correlations. Verification results will be produced after data verification. Data notation module 12 then notes the verification results in the corresponding data records 16. The verification results also provide information to data application modules 18. Before the data records are applied to the data application modules 18, it is ensured that the applied data 20 is complete, correct, and valid. Data management module 14 sends the verification results to the data owners for data management. The data management module 14 may delete data records from the databases 22 directly. Thus, the accuracy, integrity, and validity of the applied data can be ensured before processing by data application modules, enhancing the stability of the data application system.

Fig. 2 is a flowchart of the method of data management for correlated data records. First, the inventive method verifies the data records according to the data correlations and produces verification results (step S100). Each verification result corresponds to a data record. Next, the verification results are noted in the corresponding data records

(step S102), data records are managed according to the verification results (step S104), and finally, data records are applied to data application modules (step S106).

5        Here, the data correlations are similar as mentioned. The data records are stored in databases. Each data record has a data record owner, responsible for the data record preparation. Thus, the verification results are sent to the data record  
10 owners for data management. The data records may be deleted directly for data management.

Fig. 4 is an example of data verification result. In one embodiment, the verification result is represented in a table. The table indicates the data  
15 owners and the error information of corresponding data records. Data owners can modify or maintain their own data records according to the verification result. Thus, the data records can be tracked and maintained by the data record owners through the verification  
20 results, reducing the number of invalid data records in the databases.

Fig. 5 is a diagram of the inventive database, comprising a data storage module 72 and a data operation module 74. The data storage module 72  
25 stores correlated data records. The data operation module 74 operates the data records. The data operation module 74 includes a data verification module, a data notation module, and a data management module. The functions of the modules are as mentioned  
30 and the detailed diagram of the data operation module

as shown in Fig. 1. The database 70 can be designed  
as several separate databases according to functions  
or a single integrated database. The database 70 can  
also be integrated into any data application system,  
5 or operated solely for data storage for an enterprise.

It will be appreciated from the foregoing  
description that the system and method described  
herein provide a dynamic and robust solution to data  
preparation problems for a data application system.  
10 If, for example, the data application system changes  
data application programs, the system and method of  
the present invention can be revised accordingly.

While the invention has been described by way of  
example and in terms of the preferred embodiments, it  
15 is to be understood that the invention is not limited  
to the disclosed embodiments. To the contrary, it is  
intended to cover various modifications and similar  
arrangements (as would be apparent to those skilled in  
the art). Therefore, the scope of the appended claims  
20 should be accorded the broadest interpretation so as  
to encompass all such modifications and similar  
arrangements.